



July 4, 2011 $\underset{\text{powered by chartbeat}}{234} \text{ people on this site}$ Search Other search tools: Drugs | Health | News Terms Submit News About

Advertisement

Ads by Google

Siemens Healthcare IT Moderne Medizin braucht innovative Technologien. Wir zeigen Ihnen wiel www.siemens.com/answers

Cancer Research

Products
Proteins, Antibodies,
ELISA kits
Research Tools, Online
Order Now!

www.sinobiological.com

Bioequivalence Event

Bioequivalence Eve Bioequivalence and Bioavailability 19 - 21 September, 2011, Brussels



www.Wizard101.d

Ads by Google

Ads by Google

Siemens Healthcare IT

Moderne Medizin braucht innovative Technologien. Wir zeigen Ihnen wie!

Cancer Research Products

Proteins, Antibodies, ELISA kits Research Tools, Online Order Now! www.sinobiological.com

Bioequivalence Event
Bioequivalence and Bioavailability
19 - 21 September, 2011, Brussels
www.bioequivalenceevent.com

Clinical Trial Insight

Daily Clinical Trial Updates Detailed Drug Pipelines www.BioPharmInsight.com

Registrat-MAPI

Global Late Phase CRO 20 years of proven results

Oral AFINITOR® Therapy

Int'l MDs: Discover Oral AFINITOR® (everolimus) A Once Daily Treatment

Chat Rooms

Jetzt checken, ob Dein Flirtpartner gerade online in unserem Chat ist.

Hyperthermia in Frankfurt

Extreme heat damages cancer cells A gentle biological cancer therapy



Latest News

LuCED test can improve utility of low-dose CT screening for early lung cancer detection Amyloid peptide AB43 may serve as biomarker for diagnosis of Alzheimer's Study: Urban children more likely to use active school transportation

New GHI research examines conflicts between donor and recipient countries

New insight into oocyte chromosome

Simple blood test for melanoma-inhibitory activity could detect neurofibromas

Grim truth about underage drinking during
July 4 weekend

New fish study focuses on prevalence of plastic ingestion

Virus-tested sweetpotato foundation seeds

<< SIS designated as preferred vendor by Anesthesia Quality Institute | Northern California hospitals are new subscribers to MD Ranger's comprehensive toolkit >>

Read in | English | Español | Français | Deutsch | Português | Italiano | 日本語 | 한국 이 | 尚休中文 | 繁體中文 | Jonsk | Nederlands | Filipino | Finnish | Eλληνικά | ייינקיית | हिन्दी | Bahasa | Norsk | Русский | Svenska

New insights into structure and function of brain

 Recommend
 7
 Share
 3
 Share
 1

For more than 50 years, a dominating assumption in brain research was that nerve cells in the cortex of the brain are organised in the form of microscopically small columns. Subsequently, it became a textbook standard that connections are created predominantly between nerve cells within these columns. In a review article for the journal "Frontiers in Neuroscience", Clemens Boucsein and colleagues from the Bernstein Centers in Freiburg and Berlin show that this view has to be revised: input from cells that lie outside this column plays a much more important role than hitherto assumed.

It was one of the great discoveries of the 20th century in the neurosciences that nerve cells lying on top of each other in the cortex react to the same stimulus - for example edges of different orientation that are presented to the eye. Investigations of the connectivity between nerve cells further supported the assumption that these column-like units might constitute the basic building blocks of the cortex. In the following decades, much research was conducted on cortical columns, not least because the investigation of long-range connections within the brain is a very complicated affair.

But now, these assumptions about a columnar cortex structure come under scrutiny. New experimental techniques allow the tracing of connections over long distances. Boucsein and his colleagues at the University of Freiburg refined a technique to use laser flashes to specifically activate single nerve cells and to analyse their connections. These experiments led to surprising results: less than half of the input that a cortical nerve cell receives originates from peers within the same column. Many more connections reached the cells from more distant, surrounding regions.

The experiments also revealed that these horizontal connections operate very accurately in terms of timing. To the scientists, this is an indication that the brain may use the exact point in time of an electrical impulse to code information, a hypothesis that is gaining more and more experimental support. These new insights into structure and function of the brain suggest that the idea of a column-based structure of the cortex has to be replaced with that of a densely woven tapestry, in which nerve cells are connected over long distances.

Source: Bernstein Centers in Freiburg and Berlin

Be the first to rate this post

Posted in: Medical Science News

Tags: Brain, Cell, Cortex, Neuroscience

Permalink | Comments (1)

5



Related Posts

MedImmune announces MEDI-573 preclinical results against many solid tumors

 $\label{thm:median} \mbox{MedImmune's Oncology group announced today preclinical results showing that MEDI-573, a targeted mon...$

Inviragen initiates first clinical trial of DENVax vaccine to protect against dengue fever

Inviragen has announced the initiation of the first clinical trial of its vaccine to protect against...


RNA gene found to be one of the fastest evolving regions in human genome

Since completing the sequencing of the chimpanzee genome last year, geneticists have spent many hour...

Genetics play a part in the inability to stop caffeine use

A study led by Johns Hopkins investigators has shown that women with a serious caffeine habit and a

Comments



The opinions expressed here are the views of the writer and do not necessarily reflect the views and opinions of News-Medical.Net.

biluquote





☑ Notify me when new comments are added